Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (currently amended) An impact tool, comprising:
 - a shaft;
 - a stop on said shaft;
- a slider movable on said shaft for striking said stop to create an impact force; and
- a handle on said slider to allow a user to move said slider;

said handle comprising two legs extending from said slider and a central section between said legs; and

wherein said handle moves relative to said slider when said slider strikes said stop to isolate said handle from said impact force.

- 2. (original) The impact tool as recited in claim 1, wherein said handle is movably attached to said slider.
- 3. (original) The impact tool as recited in claim 2, wherein said handle is rotatably attached to said slider.
- 4. (cancelled)

Appl. No. 10/642,752 Amdt. dated Jan. 28, 2005 Reply to office action of Nov. 1, 2004

- 5. (original) The impact tool as recited in claim 1, wherein the user can grasp said handle with the wrist in the normal position.
- 6. (previously presented) The impact tool as recited in claim 5, wherein said handle includes a gripping section located a distance away from said slider.
- 7. (original) The impact tool as recited in claim 6, wherein said slider moves along said shaft in a direction, and said gripping section extends transverse to said direction.
- 8. (currently amended) An impact tool, comprising:
 - a shaft;
 - a stop on said shaft;
- a slider movable on said shaft for striking said stop to create an impact force, said slider having a first end and a second end;
- a handle movably attached to said slider to allow a user to move said slider and <u>said handle being</u> moveable relative to said slider <u>from a first position in proximity to said first end to a second position in proximity to said second end</u> when said slider strikes said stop.
- 9. (original) The impact tool as recited in claim 8, wherein said handle is rotatably attached to said slider.

Appl. No. 10/642,752 Amdt. dated Jan. 28, 2005 Reply to office action of Nov. 1, 2004

- 10. (original) The impact tool as recited in claim 8, wherein said handle comprises two legs extending from said slider and a gripping section located between said legs.
- 11. (original) The impact tool as recited in claim 8, wherein the user can grasp said handle with the wrist in a normal position.
- 12. (original) The impact tool as recited in claim 11, wherein said handle includes a gripping section located a distance away from said slider.
- 13. (original) The impact tool as recited in claim 12, wherein said slider moves along said shaft in a direction, and said gripping means extends transverse to said direction.
- 14. (currently amended) A slider for an impact tool, comprising:
 - a sleeve; and
- a handle movably attached to said sleeve to allow a user to move said slider;

wherein said handle moves relative to said slider <u>in a</u> direction parallel to a longitudinal axis of said sleeve when said slider strikes a stop on said impact tool to isolate said handle from a force created by said slider striking said stop.

15. (original) The slider as recited in claim 14, wherein said handle is rotatably attached to said sleeve.

Appl. No. 10/642,752 Amdt. dated Jan. 28, 2005 Reply to office action of Nov. 1, 2004

- 16. (original) The slider as recited in claim 14, wherein said handle comprises two legs extending from said sleeve and a central section between said legs.
- 17. (original) The slider as recited in claim 14, wherein the user can grasp said handle with the wrist in a normal position.
- 18. (original) The slider as recited in claim 14, wherein said handle includes a gripping section located a distance away from said slider.
- 19. (previously presented) The slider as recited in claim 18, wherein said impact tool has a shaft, said slider is adapted to move along said shaft in a direction, and said gripping section extends transverse to said direction.
- 20. (currently amended) An ergonomic tool, comprising
 - a shaft;
 - a stop on said shaft;
- a slider movable on said shaft for striking said stop to create an impact force, said slider having a first end and a second end and a longitudinal axis;
- a handle on said slider to allow a user to move said slider;

wherein said handle moves relative to said slider along an axis parallel to said longitudinal axis as the user moves said slider towards and away from said stop.

- 21. (previously presented) The tool as recited in claim 20, wherein said handle is movably attached to said slider.
- 22. (previously presented) The tool as recited in claim 20, wherein said handle is rotatably attached to said slider.
- 23. (previously presented) The tool as recited in claim 20, wherein said handle comprises two legs extending from said slider and a central section between said legs.
- 24. (previously presented) The tool as recited in claim 20, wherein the user can grasp said handle with the wrist in a normal position.
- 25. (previously presented) The tool as recited in claim 24, wherein said handle includes a gripping section located a distance away from said slider.
- 26. (previously presented) The tool as recited in claim 25, wherein said slider moves along said shaft in a direction, and said gripping section extends transverse to said direction.